

Ethnoveterinary Practices

P.Vivekanandan,
SEVA,
45, T.P.M.Nagar,
Virattipathu,
Madurai - 625 010.
Tamil Nadu, India.

Phone: 0452 - 238 09 43 ; 238 00 82

Cell: 7708852334

e-mail: vivekseva@gmail.com

Website: www.sevango.in

INDEX

1. Herbal masala bolus for all Digestive Problems
2. Tympany
3. Diarrhea
4. Constipation
5. Endoparasites (Intestinal worms)
6. Ectoparasites (Lice, ticks, mites)
7. Respiratory tract Infections
8. Foot and Mouth Disease
9. Mastitis in Dairy animals
10. Infertility
11. Retention of Placenta
12. Prolapse of the Uterus
13. Blue Tongue Disease in Sheep and Goats
14. Poisonous bite or Food poisoning
15. Eye Injuries
16. Wounds
17. Calf Scour
18. *Panchagavya* for Animal Health
19. Milk fever or Calcium Deficiency
20. Poultry Diseases

1. Herbal masala bolus for all Digestive Problems:

This preparation is good for all digestive problems viz. anorexia, indigestion, off feed, absence of rumination, impaction etc.

Ingredients needed for 5 dairy animals / 10 sheep or goats are given below:

kalimirch (Black pepper) 10 gm,
jeera (cumin) 10gm,
dhaniya (coriander seeds) 20 gm,
fenugreek (methi) 20 gm,
ajwain (Trachyspermum ammi) 10 gm,
adrak (ginger) 50 gm,
Haldi (turmeric) 50 gm (fresh),
gheekumari (Aloe vera) 100 gm,
galo / batindu (Tinospora cordifolia) stem and leaves 100 gm,
Lahsun (garlic) 50 gm,
lallmirch (red pepper /chillies) 50 gm,
Paan (betel leaves) 10 number,
Kari patta (curry leaf) 100 gm,
Tulsi leaves 50 gm,
tarwar leaves and flowers (Cassia auriculata) 100gm,
Nariyal (coconut)100 gm,
gud(jaggery) 100gm,
rock salt 50 gm,
khaneka soda (sodium bicarbonate) 100 gm.



Galo / batindu



Gheekumari



tarwar



Karipatta

First grind all dry items in a mixi viz. black pepper, jeera, coriander seeds, fenugreek, ajwain, red chillies).

Then grind all the fresh herbs viz. Aloe vera, curry leaf, garlic, tulsi, ginger, turmeric, coconut (grated), galo and tarwar.

After that mix together both the above items. Now add jaggery (after making into small pieces), and rock salt, (sodium bicarbonate) and mix it thoroughly.

Dosage :

At the end make a bolus of 100 gm each (lemon fruit size) and administer orally. For young animals (calf, sheep or goat) give half the quantity or reduce the quantity according to the body weight of animals. It can be given monthly once preferably in empty stomach. For problematic cases continue the treatment for 2-3 days.

Herbal masala bolus will also give some relief for

Repeat breeding/reproductive problems,

Internal parasites,

Preventive medicine for

Foot and Mouth Disease, Blue Tongue, fever, Mastitis, Hemorrhagic septicemia.

2. Tympany:

Symptoms : Stomach bulged and difficulties in breathing

Causes : sudden change in feed materials, excess intake of legumes, dining waste

Treatment:

1.Administer 200 ml each of castor oil (*Ricinus communis*) and lukewarm water are shaken well and administered orally at an interval of 4-6 hrs for large animals.

2.Betel leaves(paan) 10 number, ginger (Adrak) 20 gm, pepper (kalimirch) 10 gm,

3.Garlic(Lahsun) 10 gm, rock salt 50 gm are pounded and mixed in lukewarm water and administer orally at 6 hours interval for large animals.

Reduce the quantity to small animals according to the body weight of animals



Paan

Adrak

kalimirch

3.Diarrhea:

Symptoms : watery dung

Causes: Indigestion, intake of spoiled feed or eating toxic plants

Treatment: Grind one handful each of tender leaves of pomegranate(Anaar), tender leaves of neem, tender leaves of guava along with dried ginger 50 gm, jaggery 100 gm and make 3 bolus and administer one bolus at a time for 3 times until diarrhea gets cured.



Neem

Amrud, jamphal

Anaar


4. Constipation:

Symptoms : Lack of defecation or hard pelleted dung

Causes : Fever, heat stress and dehydration

Treatment:

1. Enema can be given (boil 10 litres of water after adding 100 gm neem leaves and cooled and administer through rectum of large animals). Avoid pregnant animals.



2. Laxatives like castor oil, raw lin seed oil (500ml) can be given for 1-2 days according to species and body weight of animal. Given as drench for 2-3 days or as required.

3. A decoction of 100 gm of *haldi* (turmeric rhizome) in a litre of water may be given once daily for 1-3 days to large animals.

5. Endoparasites (Intestinal worms)

Symptoms: Animals emaciated, thick body hairs, foul smelling stools with worms

Causes: Round worms, tape worms, hook worms infestation

Treatment:

Ingredients:

Leaves of *nirgundi* (*Vitex negundo*),

Leaf petals of *khorpad* (*Aloe vera*),

Neem seeds,

Leaves of *sangkupi* (*Clerodendrum inerme*),

Leaves of *akamadar* (*Calotrophis*)



Neem

Nirgundi, sindvar

Gheekumari

Madara, Aak

Sangkupi

They are to be taken at 1 kg each. All are to be ground well by sprinkling little water and filtered and 4 litres of herbal mixture can be obtained. Then 30 ml of the extract is taken and administered for one adult sheep or goat. For younger sheep or goat less than 3 months old 10 ml has to be administered orally. For adult cattle 100 ml has to be administered. This can be stored for more than one month.

The dewormer arrest loose motion and result in solid dung and it is free from obnoxious odor. It increases grazing efficiency of animals and they look healthy.

6. Ectoparasites (Lice, ticks, mites)

Symptoms: Presence of parasites visible all over the body, animal emaciated, dull and death in severe cases.

Treatment:

1. Lahsun (Garlic), Tulsi, neem leaves, haldi(turmeric), seethapal seeds each 10-20 gm are ground together and boiled in 250 ml of neem oil and applied over the surface of the body of large animal.
2. Whole plant of Raimuniya (Lantana camara) is chopped and crushed and diluted with the urine of cattle for 3 days and apply externally.
3. Boil tobacco stalk 250 gm in 2 lit. of water and add 5 lit. of water and sprayed over the body of 10-20 animals.



Raimuniya



Seethapal



Tobacco

7. Respiratory tract Infections:

Symptoms: Heavy snoring, difficulty in breathing

Treatment:

1. Take leaves of *Thulasi* (*Ocimum sanctum*) 100 gm, leaves of *arusha* (*Adhatoda vasica*) 100 gm, ginger 50 gm, pepper 10 gm, jaggery 100 gm and boil in 1 lit. of water and administer 100 – 250 ml of the decoction 2-3 times daily.

2. Few fruits (6-8 number) of *kantakari / kateli* (*Solanum surattense*) are crushed and soaked in goat urine over night and filtered and few drops are squeezed in to the nostrils.



Arusha

kantakari / kateli

8. Foot and Mouth Disease:

Symptoms : Ulcers in mouth and cleft of hooves, drooping saliva and difficult to walk

Causes : Virus

Treatment:

Ingredients required :

Haldi (Turmeric) 200 gm (freshly harvested rhizome is preferred), coconut kernel extract (from 1 coconut), gheekumari (Aloe vera) – 200 gm, palm jaggery 200 gm, common salt 100 gm, garlic 100 gm, pepper 50 gm, cumin 50 gm, fenugreek 50 gm.

The above ingredients viz. turmeric, gheekumari (Aloe vera), garlic, grated coconut are ground well through grinder/ mixi by using sufficient water and collected in a vessel. Then make powder of pepper, cumin, fenugreek and all ingredients are mixed together thoroughly and add sufficient water to make it about 1 liter. Then filter it and administered orally.

Dose:

100 ml at a time for adult animals or 50 ml for young ones or sheep or goats. Before giving the treatment the animals are to be fed with banana (2number) soaked in sesame oil(Til ka tel) 50 ml.

For treatment of wounds in the foot region:

A special wound healing *thaila* can be prepared by using following ingredients:

1. *Sesame oil*(Til ka tel) 1 lit, *haldi*(freshly harvested preferred or turmeric powder 50gm) 100gm, garlic - 50gm; neem leaves 10 gm, leaves of *mehanthi* (*Lawsonia inermis*) 10 gm, *kuppi* (*Acalypha indica*)10 gm. Ground the herbal items and mix with the oil and boil the oil well and filtered. The oil can be stored in a bottle. This *thaila* can be applied over the affected foot region of animals for 3 days continuously or till the point of cure. OR

2. Coconut oil 500 ml. and Datura leaf extract 500ml are taken together and boiled in a vessel till about one hour so as to get oily texture. Then put off the fire and add *tuutiya* (copper sulphate) 5 gm and stir it well. Now this *thaila* is stored in a bottle and used for all types of wounds including maggot wounds in animals.



Datura



kuppi



Haldi



Gheekumari

Also feed the animal with gruel prepared by boiling with ragi, wheat and bajra flour each 100 gm -200gm with sufficient water in a vessel.

9. Mastitis in Dairy animals:

Symptoms: swollen, hot udder; milk discoloured with pus and thread like substance

Causes: Microbes

Treatment:

Ingredients required:

1. *Gheekumari* (Aloe vera) - 2 or 3 petals
2. *Haldi* (Turmeric) powder- 50gm
3. *Chunna* (Lime stone)- 10 gm

All the above ingredients are ground well and made in to a paste apply over the udder thrice a day for 3-7 days depending upon the disease incidence. Before applying, the udder and teats should be washed with boiled water for 3 times for 5 days. Administer orally 50 gm of khaneka soda (sodium bicarbonate) in the juice of lemon (4 fruits) dissolved in 200 ml of water.



Gheekumari



Haldi

10. Infertility :

For animals suffering repeat breeding, infertility or suboestrus or not coming to heat the following method has to be followed.

Administer orally Gheekumari (Aloe vera) 1-2 petals for 3 days in the empty stomach. Administer orally sprouted *chana dal* (bengal gram) or sprouted bajra or sprouted wheat 200 gm daily for 15 days. When signs of oestrus cycle is noticed administer orally neem oil 100-150ml before taking the animal for insemination or natural crossing (insemination shall be within 24 hours of noticing the symptom). After insemination feed the animals with curry leaves about 2 handfull daily for a week.



Chana dal



Gheekumari

11. Retention of Placenta:

Symptoms: Non – shedding of placenta beyond 3-5 hours post-partum

Treatment:

1. The leaves of two sesame plants (*Sesamum indicum*) about 250 gm are pounded with 1000 ml of water and drenched; placenta would be shed in 1 to 2 hours. OR

2. Seeds of sesame 100 gm and jaggery 100 gm are taken and pound together and made into bolus and administered orally. OR

3. Take *Bada goksur* (*Peadium murex*) plant about 200 gm, pound and soaked in 1000 ml of water and stir well and drenched.



sesame plant



Bada goksur

12. Prolapse of the Uterus:

Treatment: Clean the mass with sugar added water or any antiseptic lotion. Lift the mass by placing banana leaf with both hands (special care must be taken to avoid laceration or tear with nails, and hand must be washed in the antiseptic lotion). Mostly the urinary bladder will be filled. After lifting of the mass urine will easily go out and the mass will easily go inside.

Leaves of touch me not / *Chhui-Mui* (*Mimosa pudica*) whole plant two handfuls are ground well and mixed with 200 ml goat's milk to be administered orally for three times (morning, evening and next day morning). Keep the animal in a slightly slanting position in such a way that keeping the head portion in a lower level at least for a week.



Chhui-Mui

13. Blue Tongue Disease in Sheep and Goats:

During rainy season, sheep farmers face economic loss due to sudden death of sheep by a new disease called as blue tongue disease.

Symptoms: ulcer in the mouth, oozing of fuzz like substance from the mouth and limping while walking and sometimes in the lying position. If the animal is lifted the hairs in the body will fall off. Animals will not take feed but drink little water. In the severity of the disease the animal will die on 15th day or so.

This disease is caused by a virus and mosquitoes or insects act as vectors.

Treatment:

Since the animal is not taking any feed the starvation may lead to death. So the animal has to administered orally the following recipe. Banana fruits smeared with sesame oil and fed to animals for 2 to 3 times. Half a litre of oil with 20 bananas are sufficient to treat 20 sheep. By this animal will recover little. However this will not control the disease fully. Next the leaf pulp of Aloe vera (100 gm) has to be administered daily. Administering of Aloe vera has to be continued for more days till the animal fully recovers from this disease.



Gheekumari

Administering Aloe vera also increases the body weight of animals as it acts as dewormer against all intestinal parasites. This can also be administered as preventive treatment on monthly interval especially during rainy season.

14. Poisonous bite or Food poisoning:

Leaves of betelvine, tulsi, pepper, dried *adrak*(sontha) each 10 gm. are pound together and mixed in warm water and administered orally. For poisonous bite few drops of this extract are instilled to the eyes of the animal.



Paan



Tulsi



Sontha

15. Eye Injuries:

Leaves of *bimba* (*Coccinia grandis*) or castor (*Ricinus communis*) is crushed by mixing with a pinch of salt and the juice is applied for few drops in the eyes.



bimba



castor

16. Wounds:

Prepare special *thaila* (oil) and apply over the wound : Coconut oil 250 ml. and Datura leaf extract 250ml are taken together and boiled in a vessel till about one hour so as to get oily texture. Then put off the fire and add *tuutiya* (copper sulphate) 2.5 gm and stir it well. Now this *thaila* can be stored in a bottle and used for all types of wounds including maggot wounds in animals.



Datura leaves



Tuutiya

17. Calf Scour

This caused by bacteria and it affects calf of cattle and buffaloes

Symptoms: Loose motion with foul smell and fever. dull inactive with sunkun eyes, temperature rises to 104⁰ F.

Treatment: Sontha (*Zingiber officinale*) 50 gm, guava (*Psidium guajava*) tender leaves 200 gm. are ground and made into a bolus and administered orally one or two times.



Sontha



Amrud, jamphal

18. Panchagavya for Animal Health:

This preparation overcome problems of infertility or repeat breeding.

Mix 5 products of cow (dung, urine, milk, curd, ghee) together by taking

1 kg of cow dung,
1 lit cow urine,
1 lit of milk,
1 lit of curd,
100 gm of ghee .

In addition add 2 banana, sugarcane juice 1litre or jaggery 500gm are added in a plastic barrel and allow them for 1 week for fermentation. Now administer 200 ml-300 ml of *panchagavya* monthly once for general upkeep of cattle or 100 ml for sheep or goat on monthly basis . For dogs affected with skin disease (oozing of body fluid from the skin) can be given by administering 100 ml of *panchagavya* for 3 days continuously. For poultry birds mix about 50 ml of *panchagavya* along with feed for feeding a dozen birds. *Panchagavya* fed chicken lay eggs of bigger size and also the growth of the bird is quick and faster.

19. Milk fever or Calcium Deficiency :

The disease usually occurs in dairy animals caused by decrease in blood-calcium level, generally within 48 hours after calving.

Treatment:

Take 1 kilo of lime stone (Calcium hydroxide) and put in a mudpot . Add 20 litres of water and keep it overnight. Take 200 ml of supernatant water(top watery layer) and feed the animal daily . While taking the upper layer of water add equal quantity of fresh water of 200 ml daily. Every 20 days change the whole content.

This practice can be followed regularly and it prevents diseases caused due to calcium deficiency.

20. Poultry Diseases:

i) For Ranikhet disease:

Symptoms: Diarrhoea, excreta is watery, green with foul odor; discharge from the nose; coughing and sneezing; swelling of the head; head and neck twisted to one side; drooping wings, dragging legs; sleepiness; full, distended crop; convulsions and paralysis; death.

Precaution : The disease affected chicken are to be removed and kept separately.

Treatment:

Leaves of *utarn* (*Pergularia daemia*) 20 gm, leaves of *kirayat* (*Andrographis paniculata*) 20 gm, fresh haldi (turmeric: *Curcuma longa*) 20 gm, garlic 20 gm and onion 20 gm are chopped together and fed with other poultry feed occasionally as preventive or curative treatment.



Utarn



kirayat



Haldi

ii) For Lice Infestation of Poultry :

Symptoms: Small, white lice lay eggs on the feathers ; lice moving on skin and feathers ; reduced egg production; slower weight gain ; birds constantly peck at themselves or scratch themselves with their beak.

Treatment :

1. Spread crushed leaves of *sithapal* (*Annona squamosa*) or *Aak* (*Calotropis*) inside poultry nest and lice collected over the leaves can be disposed off hygienically.

2. Garlic, Tulsi, neem leaves, seethapal seeds, haldi (turmeric) each 10-20 gm are ground together and boiled in 250 ml of neem oil and applied over the surface of the body of 10-15 birds.



Sithapal



Haldi



Lasun



Neem



Aak